Refine Search

Search Results -

Terms	Documents
(sip or session near protocol) and L121	2

Database:
```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search: L126

[Refine Search]

[Recall Text ⬍] [Clear] [Interrupt]

Search History

DATE: Thursday, August 30, 2007   <u>Purge Queries</u>   <u>Printable Copy</u>   <u>Create Case</u>

Set Name (side by side)	Query	Hit Count	Set Name (result set)
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L126	(sip or session near protocol) and L121	2	L126
L125	(string or digit or character or pattern) near match$ and L121	2	L125
L124	l107 and L121	0	L124
L123	l107and L121	13	L123
L122	l51 and L121	1	L122
	DB=PGPB,USPT; PLUR=YES; OP=OR		
L121	(20030210694 or 20020188744 or 20040235463) or (6411705 or 6188760 or 6098094 or 4785408 or 5384829 or 6424660 or 6144848 or 6744865 or 5029199).pn.	13	L121
	DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR		
L120	FRIEDER-OPHIR!	29	L120
L119	BURGER-ERIC-WILLIAM!	10	L119
L118	BURGER-ERIC-W!	12	L118

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L117	(sip or session near protocol) and L116	12	L117
L116	quarantin$3 same (string or digit or character or pattern)	162	L116
L115	quarantin$3 near2 (string or digit or character or pattern)	9	L115
L114	(string or digit or character or pattern) near match$ and L110	16	L114
L113	L8 and L110	11	L113
L112	L18 and L110	0	L112
L111	(sip or session near protocol) and L110	2	L111
L110	((user near input or click$3 or button or key near press or key near depress)) near discard$3	278	L110
L109	(sip or session near protocol) and L108	89	L109
L108	(telephone or handheld or pda or palm near pilot or phone) and L107	920	L108
L107	(touch near screen and speech) and (monitor$3 or detect$3) with ((user near input or click$3 or button or key near press or key near depress))	1090	L107
L106	(touch near screen and speech) and L105	15	L106
L105	(string or digit or character or pattern) near match$3 with (user near input or click$3 or button or key near press or key near depress)	392	L105
L104	(user near input or click$3 or button or key near press or key near depress)near event and L103	12	L104
L103	L99 and L102	324	L103
L102	event near (notif$6 or register$6 or subscri$6)	11360	L102
L101	(sip or session near protocol) and L100	21	L101
L100	L99 and (string or digit or character or pattern) near match$3	907	L100
L99	(telephone or handheld or pda or palm near pilot or phone) with (speech or touch near screen)	34468	L99
L98	(subscri$6 and notif$6) and L97	94	L98
L97	(string or digit or character or pattern) near match$3 and (touch near screen and speech)	392	L97
L96	pattern near match$3 and (touch near screen and speech)	274	L96
L95	(sip or session near protocol) and L94	58	L95
L94	(touch near screen and speech) and L93	447	L94
L93	((register$5 near (subscr$6 or notif$5)) or (register$5 or subscription)) with (telephone or handheld or pda or palm near pilot or phone)	40741	L93
L92	L88 and L91	12	L92
L91	((monitor$3 or detect$3 or obatin$3) near (user near input or click$3 or button or key near press or key near depress))	8497	L91
L90	L18 and L88	1	L90
L89	L48 and L88	0	L89
L88	(user near input or click$3 or button or key$1press) with (touch near screen and speech)	468	L88
L87	(monitor$3 or detect$3) with (dtmf near (digit or character or string)) with (touch near screen or speech)	27	L87
L86	(monitor$3 or detect$3) with (dtmf near (digit or character or string)) and touch	9	L86

near screen and speech

L85	touch near screen and L84	9	L85
L84	speech and L83	132	L84
L83	(subscri$6 and notif$6) and L82	174	L83
L82	(monitor$3 or detect$3) with (dtmf near (digit or character or string))	607	L82
L81	(key$1pad near markup near language or kpml)	12	L81

DB=USPT; PLUR=YES; OP=OR

L80	'6041053'.pn.	1	L80
L79	'6041053'.pn.	1	L79
L78	'6701369'.pn.	1	L78
L77	'6738779'.pn.	1	L77
L76	'6785677'.pn.	1	L76

DB=PGPB; PLUR=YES; OP=OR

L75	'20030125931'.pn.	1	L75
L74	'20030125931'.pn.	1	L74
L73	'20030204703'.pn.	1	L73

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L72	(sip or session near protocol) and L68	11	L72
L71	(sip or session near protocol) and L70	2	L71
L70	L21 and L68	3	L70
L69	L18 and L68	0	L69
L68	(pattern near match$3 or key near press or string) with ((long$3 or short$3 or specific) near match)	385	L68
L67	L62 and L66	25	L67
L66	(long$3 or short$3) near match$3	6026	L66
L65	(sip or session near protocol) and (subscri$6 and notif$6) and L62	37	L65
L64	L62 and L63	3	L64
L63	(sip or session near protocol) same (subscri$6 and notif$6)	666	L63
L62	(monitor$3 or detect$3 or obatin$3) near (user near input or click$3 or button or key near press or key near depress)	8497	L62
L61	L21 and L60	179	L61
L60	L57 and (telephone or handheld or pda or palm near pilot or cell$5 or phone)	2970	L60
L59	L58 and (telephone or handheld or pda or palm near pilot or cell$5 or phone)	6	L59
L58	reduc$6 with network near traffic and L57	10	L58
L57	(register$7 or subscri$6 and notif$6) near2 (user near input or click$3 or button or key near press or key near depress)	5907	L57
L56	(subscri$6 and notif$6) near (user near input or click$3 or button or key near press or key near depress)	9	L56
L55	(sip or session near protocol) and (subscri$6 and notif$6) with (user near input or click$3 or button or key near press or key near depress)	26	L55
L54	(sip or session near protocol) with (subscri$6 and notif$6) with (user near input or click$3 or button or key near press or key near depress)	4	L54

L53	reduc$6 with network near traffic and L48	7	L53
L52	L48 and L51	13	L52
L51	(user near input or click$3 or button or key near press or key near depress) near (telephone or handheld or pda or palm near pilot or cell$5 or phone)	11946	L51
L50	L33 and L48	14	L50
L49	L21 and L48	3	L49
L48	(sip or session near protocol) with (subscri$6 and notif$6)	458	L48
L47	notif$6 with (user near input or click$3 or button or key near press or key near depress) near (telephone or handheld or pda or palm near pilot or cell$5 or phone)	60	L47
L46	((monitor$3 or detect$3 or obatin$3) near (user near input or click$3 or button or key near press or key near depress)) with ((independent or concurren$3) near application)	2	L46
L45	notif$6 near application with (user near input or click$3 or button or key near press or key near depress)	80	L45
L44	(register$6 near (interest or subcription or notif$6)) with (telephone or handheld or pda or palm near pilot or cell$5 or phone)	96	L44
L43	(register$6 near (interest or subcription or notif$6)) near event with (telephone or handheld or pda or palm near pilot or cell$5 or phone)	5	L43
L42	(user near input or click$3 or button or key near press or key near depress) with (interest near (subcription or notif$6 or register$6))	25	L42
L41	(user near input or click$3 or button or key near press or key near depress) with third adj party near application	52	L41
L40	(tdm or tdm or h.323) and L39	19	L40
L39	L37 and L38	506	L39
L38	(user near input or click$3 or button or key near press or key near depress) with notif$6	6058	L38
L37	((register$5 near (subscr$6 or notif$5)) or (register$5 or subscription)) with (telephone or handheld or pda or palm near pilot or cell$5 or phone)	76244	L37
L36	(user near input or click$3 or button or key near press or key near depress) with (register$5 near (subscr$6 or notif$5))	42	L36
L35	L33 and L34	45	L35
L34	((monitor$3 or detect$3 or obatin$3) near (user near input or click$3 or button or key near press or key near depress)) same (telephone or handheld or pda or palm near pilot)	490	L34
L33	(user near input or click$3 or button or key near press or key near depress) with (register$5 or notif$5)	25772	L33
L32	L30 and L31	7	L32
L31	(user near input or click$3 or button or key near press or key near depress) near (register$5 or notif$5)	4061	L31
L30	((monitor$3 or detect$3 or obatin$3) near (user near input or click$3 or button or key near press or key near depress)) with (telephone or handheld or pda or palm near pilot)	220	L30
L29	((monitor$3 or detect$3 or obatin$3) near (user near input or click$3 or button or key near press or key near depress)) with notif$6	107	L29

L28	L21 and L24	12	L28
L27	L25 and L26	137	L27
L26	third near party with application	9925	L26
L25	L21 andL4	8569	L25
L24	((register$6 or subscri$6) near (message or request or notif$6)) with (telephone or handheld or pda or palm near pilot)	2695	L24
L23	((monitor$3 or detect$3 or obatin$3) near (user near input or click$3 or button or key near press or key near depress)) with (notif$6 near application)	1	L23
L22	((monitor$3 or detect$3 or obatin$3) near (user near input or click$3 or button or key near press or key near depress)) with (notif$6 near application) L21	8497	L22
L21	((monitor$3 or detect$3 or obatin$3) near (user near input or click$3 or button or key near press or key near depress))	8497	L21
L20	@pd<20040224 and L19	83	L20
L19	L8 and L18	169	L19
L18	L15 or L16 or L17	9442	L18
L17	(455/3.01 |455/3.03).ccls.	772	L17
L16	(379/219 |379/220.01 |379/221.01 |379/221.02 |379/221.03 |379/221.04 |379/221.05 |379/221.06 |379/221.07 |379/221.08 |379/221.09 |379/221.1 |379/221.11 |379/221.12 |379/221.13 |379/221.14 |379/221.15 |379/222 |379/223 |379/224 |379/225 |379/226 |379/227 |379/228 |379/229 |379/230 |379/231 |379/232 |379/233 |379/234 |379/235 |379/236 |379/237 |379/238 |379/239).ccls.	7800	L16
L15	(719/318).ccls.	876	L15

DB=USPT; PLUR=YES; OP=OR

L14	'5524254'.pn.	1	L14
L13	'5768632'.pn.	1	L13

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L12	shortest$1match or longest$1match	69	L12
L11	(buffer$3 or queu$3 or accumulat$3) near (user near input or key$1press or button or click$3) with (telephone or phone or palm near pilot or pda or handheld)	8	L11
L10	(sip or session near protocol) and (buffer$3 or queu$3 or accumulat$3) near (user near input or key$1press or button or click$3)	6	L10
L9(	sip or session near protocol) and L8	124	L9
L8(	buffer$3 or queu$3 or accumulat$3) near (event or user near input or key$1press or button or click$3)	7287	L8
L7	accum ulat$3 with ((telephone or phone or palm near pilot or pda or handheld or speech) near (event or user near input or key$1press or button or click$3))	17	L7

DB=USPT; PLUR=YES; OP=OR

L6'	6052458'.pn.	1	L6
L5'	6081591'.pn.	1	L5

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L4(	telephone or phone or palm near pilot or pda) near event with (register$6 or notif$7)	105	L4
L3t	imer and L1	82	L3

L2t   ime$3 and L1   335   L2

L1r   efresh$3 with subscri$6   355   L1

END OF SEARCH HISTORY

Google

| kpml | | Search | **Advanced Search** |

Web   .   Results **1 - 10** of about **87,600** for **kpml**. (0.18 seconds)

KPML one-point access page
This page contains pointers to the current range of sources and executables for the
grammar development environment **KPML**. It contains the latest available ...
www.purl.org/net/**kpml** - 1k - Cached - Similar pages

SIPPING E. Burger Internet-Draft Brooktrout Technology, Inc ...
Abstract This document describes a SIP Event Package "**kpml**" that enables ... The **kpml**
Event Package may be used to support applications consistent with the ...
tools.ietf.org/id/draft-ietf-sipping-**kpml**-07.txt - 118k - Cached - Similar pages

Sipping Status Pages
draft-ietf-sipping-**kpml** Status: Published as RFC 4730 .... Generated from PyHt
script /www/tools.ietf.org/wg/sipping/draft-ietf-sipping-**kpml**/index.pyht ...
tools.ietf.org/wg/sipping/draft-ietf-sipping-**kpml**/ - 50k - Cached - Similar pages
[More results from tools.ietf.org]

Kommunistiska Partiet, KPML(r) Alinsås
Kräver en läsare som klara ramar. ...
web.telia.com/~u32204559/ - 2k - Cached - Similar pages

What is KPML?
The **KPML** system offers a robust, mature platform for large-scale grammar engineering
that is particularly oriented to multilingual grammar development and ...
www.fb10.uni-bremen.de/anglistik/langpro/**kpml**/**kpml**-description.htm - 6k -
Cached - Similar pages

KPML permanent URL information
Development environment for large-scale grammars for NLG>
www.stir.ac.uk/crcl/Computational-tools/**kpml**.html - 2k - Cached - Similar pages

Kinetic Associates
Kinetic Associates, a multi-disciplined health, safety and technical writing organisation.
www.**kpml**.com/ - 8k - Cached - Similar pages

Kommunistiska partiet - Wikipedia, den fria encyklopedin
Kommunistiska Partiet, tidigare **KPML**(r), är ett svenskt kommunistiskt ... Partiet ändrade
1977 sitt namn från KFML(r) till **KPML**(r) för att markera ett ...
sv.wikipedia.org/wiki/Kommunistiska_Partiet - 30k - Cached - Similar pages

KPML(r) Örnsköldsvik
KPML(r) logo. **KPML**(r) ...rnskšldsviksavdelningen. Ršdlinje. Denna sida har flyttat till
följande adress: ... Ršdlinje. ©1996-2001 **KPML**(r) Örnsköldsvik.
www.geocities.com/CapitolHill/4790/ - 4k - Cached - Similar pages

Internet Draft Database Index - draft-burger-sipping-kpml
Keypad Markup Language (**KPML**) is a markup language used in conjunction with SIP and
HTTP to provide instructions to SIP User Agents for the reporting of ...
datatracker.ietf.org/drafts/draft-burger-sipping-**kpml**/ - 7k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10 **Next**

Try Google Desktop: search your computer as easily as you search the web.

| kpml | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google